

1

District Level Development Authority, U.S Nagar


1st Floor, Vikas Bhawan Campus, Rudrapur, U.S Nagar Website-www.ddausn.org.in Email-udausnagar@gmail.com

Tender Form

Name of Work- Supply & Installation of 30 K.V.A, Autocut D.G Set Including Civil Works (Making Platform) at DLDA Office, Rudrapur, U.S Nagar, Uttarakhand.

Tender Fees

Rs. 2360.00 (Inclusive GST) Non Refundable.



1st Floor, Vikas Bhawan campus , Rudrapur, U.S Nagar, 263153

₿

05944-250152



udausnagar@gmail.com



www.ddausn.org.in

TENDER'S DETAIL

Name of Work-	Supply & Installation of 30 K.V.A, Autocut						
	D.G Set Including Civil Works (Making						
	Platform) at DLDA Office, Rudrapur, U.S						
	Nagar, Uttarakhand.						
Location of Work-	DLDA Office, Rudrapur, U.S Nagar,						
	Uttarakhand.						
Tender Fees	Rs. 2,360.00 (incl. GST)						
Estimated Cost of Work	Rs. 6,62,907.00						
Earnest Money-	Rs. 13,500.00 Earnest Money should be pledged in favour of						
	Secretary, District Level Development Authority, U.S						
	Nagar. Earnest money should be deposited in the form						
	of N.S.C. /F.D.R.						
Date of Accepting Tender	01-05-2023 up to 2:00 PM						
Date of Opening Tender -	01-05-2023 at 3:00 PM						
Validity of Tender-	90 days						
Time for Completion-	30 Days from the date of Agreement.						

And

CONTRACTOR DETAILS

Name of Contractor			_
Address			
- Julitas			
T. 1. (2.5			
Tel./Mob. Number			ł
Registration for Electric Work in	-		
Uttarakhand Government.			
PAN No.	-		निक
G.S.T.No.			प्रेषित
	-		
Affidavit of Rs 100 in respect of			
Ondertaking with regard to			
Blacklisting/Non Debarment	-		
Stamp of Rs. 100, with Rs.1.00	-		रण,
Revenue Stamp			
	Detail of Tender Fees		
Amount			
D.D No./Cash			
Data of in 12			
Date of issue /Date of deposit			
P.O./Bank Name		-	
	Detail of Earnest Money		
Amount		-	
N.S.C./F.D.R. No.		4	
Date of issue			
P.O./Bank Name			

Signature of Contractor

Marine a

GENERAL CONDITIONS :

- 1. All work shall be carried out as per PWD specifications.
- 2. GPW form 9 shall be part of the agreement and all conditions shall be binding on the contractor.
- The quantities worked out in estimate are liable to variation for which no claim whatsoever shall be entertained by the department.

- 4. The rate shall be inclusive of cost of all materials, royalty, all T & P, octori, tax, carriage, stacking lead and lift etc.
- 5. While quoting their rates tenderers are advised to take into account fluctuations in market rates. No claim will be entertained on this account during acceptance of the tender and duration of the contract including extended period for completion of work. Rate should include lead of all material, royalty where payable and water arrangements and all local taxes including sales taxes and other taxes as toll etc.
- Tenderer are advised to see site of work and acquaint themselves with locality and availability of labour and position of materials, conditions of contract, drawing and specification before tendering.
- In case of firm, tenders must be signed by each partner or member of the person holding the power of attorney.
- In case of firm, tenders must be signed by each partitle of include of the product of the product
- <u>Contractor should registered their labour in Labour Department, Uttarakhand and 1% Cess should be</u> deducted from each running bill as per Gazette Notification No. 474(2)/VIII/12-35 (Shram)/2011, <u>Dehradun dated 17-05-2012 by Employment Department of Uttarakhand Govt.</u>
- 10. <u>Contractor should submit copy of Income Tax return certificate for last financial year.</u>
- Contractor should submit copy of mediate Tax return contractor should submit copy of mediate Tax return contractor should submit copy of mediate Tax return contractor should submit copy of mediate the specification of the speci
- 12. All materials arranged by the contractor shall be as per P.W.D specification and rejected materials if any will have to be removed by the contractor within three days from the site of the work otherwise these shall be removed from the site of the work by the department itself on contractor's cost. Also a penalty of 200/-per day shall be imposed till the materials are removed from the site by the Contractor.
- 13. An order book will be kept at the site of the work in which instruction shall be rendered by Eng.-in-charge or his representative. The contractor or authorized agent will be required to sign the order book daily for acknowledgement of the instruction. It is the responsibility of the contractor to examine the register and if he doesn't it shall be deemed to have been communicated to him.
- 14. The contractor should install at his own cost necessary water pumps, concrete mixer, pug mil machine conveyer and provide necessary vibrates suitable for R.C.C. work and this will be covered by his rates for respective items. In case of certain mechanical T&P etc. is available with the Deptt. The same may be issued at the discretion of Secretary as existing rule/rates of the deptt.
- 15. The contractor will have to intimate in writing to the Eng. I/C his program of laying slab and other important items of work at least 8 days before the commencement of laying so that the Engr. I/C may be able to check his program of supervision of the work. Any such items laid in the absence of Engr. I/C shall be rejected and the contractor will have to do the work again at his own cost. The work of reinforcement shall have to be got examined, by the Engr. I/C before deciding the date of the laying concrete.

Dw

- 16. As soon as the tender is accepted the contractor shall have to notify the name of his two authorized representative one of whom will always be available at site of work and the other for issue of materials and other misc. works. The contractor shall be responsible for the materials and order received by these two agents.
- 17. Any claims arising out during the period of contract will be submitted in writing as per the time line defined in GPW form 9 when such claims arise failing which the claims may not be entertained.
- 18. On completion, site of the work will be dressed and cleared all earth and waste materials etc by the contractor.
- 19. The contractor shall give his complete postal address below at the place specified for the purpose. Any changes in his postal address be intimated to authority receiving the tender. In case any communication dispatched to his given address is received back undelivered then in that case contents of the letter shall be binding on the contractor.
- 20. The earnest money for the tender may be in the form of N.S.C./F.D.R. which should be *pledged in favour of* Secretary, District Level Development Authority, U.S Nagar. The tender without proper earnest money and without a Non Judicial Stamp paper of `100/- affix one Rupee revenue stamp on it and signed by the tenderer for the validity of tender will not be considered.
- 21. District Level Development Authority (DLDA), U.S Nagar reserves the right to accept/reject any or all tenders without assigning any reason thereof.
- 22. One contractor or firm of the contractors should submit not more than one tender.
- 23. Power is reserved to accept tender for part work only and in such cases time for completion will be reduced to the extent considered reasonable by the accepting authority.
- 24. Contractors are not allowed to make any additions or alterations in tender papers. If any one does so the same will not be considered or the tender will be rejected.
- 25. That the DLDA, U.S Nagar on satisfactory completion of the construction work shall make final payment as per M.B. and amount of 5% of the estimated cost will be deducted subsequently from running bills. The amount of security money shall, if not withheld on account of breach of contract be refunded after six months of the date of completion of the work or after payment of the final bill, whichever is later subject to the condition that in case of building works the first rainy season comprising of months of June, August and September is not fully covered within the period of six months mentioned above. The amount of security money, if not withheld on account of the first rainy season comprising of the first rainy season comprising of the months mentioned above or after the payment of the final bill whichever is later.
- 26. That in case of any dispute between the DLDA, U.S Nagar and the Contractors as regards construction, arising from the terms and conditions of this deed, the dispute shall be referred to Arbitrator as per the provisions of the Arbitration and Conciliation Act, 1996, AND the Arbitrator shall be the "Vice Chairman, DLDA, U.S Nagar" whose decision shall be final and binding on both the parties.
- 27. Performance security shall be applicable as per G.O. No. 6447 dated 02-01-2013 and according to Uttarakhand Procurement Rule.

6 Officer inviting Tender

Contractor

BILL OF QUANTITY

	Supply & Installation of 30 KVA, Single Phase Auto	ocut D.G Set at D	LDA U.S	Nagar Rudr	apur office.	
S.No.	1 diffe diffe	D.S.R No.	Qty	Unit	Rate	Total
I	Supply of Three Phase Silent DG Set Comprising of Kirloskar make diesel engine and Leroy somer control panel, in built fuel tank, silencer and battery, with Electronic Governor, Koel Green 3r1040tg1 Engine Model- AL2CTIDG1 -30 KVA 3P LS, Alternate Model- LSAP423C-AMF	M.R	1	No	537136	537136
	Earthing with copper earth plate 600mm x 600mmx3mm thick including accessories and providing mansory enclosure with cover plate having locking arrangement and watering pipe of 2.7 metre lont etc with charcoal/coke and salt as required.	5.6	1	No	11794	11794
3	Providing & Fixing 25mm x 5mm copper strip on surface or in recess for connections etc as required.	5.14	9	Mtr	1009	9081
4	Supplying & Making end termination with brass compression gland and aluminium lugs for following size of PVC insulated and PVC Sheated/XLPE aluminium conductor cable of 1.1 KV grade as required 4 x 25 sq. mm	9.1.20	16	No	250	4000
5	40mmx 6mm angle iron frame, including the cost of labour, T&P, Painting and other material required for proper completion of the work as per direction and	N.S	1	No	8750	8750
6	satisfaction of engineer in charge. Supply & fixing of CO2type fire extinguisher 4.5Kg capacity (ISI Marked IS : 2878 &TAC Approved) complete with initial charge and wall bracket, along with supply of all materials and labour for proper completion of	UPPWD1132	2	No	11980	23960
7	work. Supply & fixing shock treatment chart (prescribed under I.E rule) duly framed with glass and supported from back with hard board or soft board with supply of all material	UPPWD1134	1	No	305	305
8	Iabour T&P for proper completion of work. Supply and laying of 1800mm x 900mm x 12mm thick	UPPWD1135	1	No	2550	2550
9	chequered rubber matting of tested quality. Volts grade at depth of 750mm below ground level over a cushion of 75mm thick sand all around and proctected with burnt bricks on sides and top. On surface the cable run shall be fixed on M.S. clamps etc. of suitable size or as directted by the Engineer-Incharges complate in all respect The Armouring of the cable shall be property connected with the earth conductor by clamps ect 25sq. mm 3-1/2	UPPWD501(G)	70	mtr	373	26110
10	Earth work in excavation by mechanical means(Hydraulic excavation) manual means in foundation trenches or drains dressing or sides and ramming of bottom lift upto 1.5 m including getting out of the excavated soil and disposal soil as directed within a lead of 50 m in all kind of soil		1.13	1	181.85	205.4905
11		2.27	2.29	1	450	1030.5
12	1 semilated	4.1	0.85	1	5789.6	4921.16
13	1 the sing all work up to plinth in (1:4:8)	5.1	2.11	1	7718.25	16285.51

¢ Jenne

Providing and laying company and the					5132.7
including the cost of control	4.2.3	0.6	1	8554.5	5152.7
in min acting the cost of centering and shuttering and finshing					
in this ratio (1.2.4) 1= cement, 2=sand, 4-stone aggregate					
2011111					T 222 C 48
Centering and shuttering including strutting etc and	5.9	10.56	1	552.05	5829.648
removal of form for plinth beam	5.5	10.50			
Reinforcement for plinth beam including straightering	5 228	74.9	1	77.65	5815.985
cutting, bending placing in position and hinding all	5.220	14.5	-		
completed tmt bars fe500					
IUIAL				and the second sec	
				of the Firm	r a)
here	by offer to ex	ecute the above	work	% (in Figu	10)
	printed on th	he above bill of c	uantity.		
	20mm 20mm Centering and shuttering including strutting etc and removal of form for plinth beam Reinforcement for plinth beam including straightering, cutting, bending placing in position and binding all completed tmt bars fe500 TOTAL	Including the cost of centering and shuttering and finshing in mix ratio (1:2:4) 1= cement, 2=sand, 4-stone aggregate Image: Solution and Sol	Including the cost of centering and shuttering and finshing in mix ratio (1:2:4) 1= cement, 2=sand, 4-stone aggregate Image: Centering and shuttering including strutting etc and removal of form for plinth beam Centering and shuttering including strutting etc and removal of form for plinth beam including straightering, cutting, bending placing in position and binding all completed tmt bars fe500 5.22B 74.9	Including the cost of centering and shuttering and finshing in mix ratio (1:2:4) 1= cement, 2=sand, 4-stone aggregate Image: Centering and shuttering including strutting etc and removal of form for plinth beam Centering and shuttering including strutting etc and removal of form for plinth beam including straightering, cutting, bending placing in position and binding all completed tmt bars fe500 5.9 10.56 1	Including the cost of centering and shuttering and finshing in mix ratio (1:2:4) 1= cement, 2=sand, 4-stone aggregate Image: Centering and shuttering including strutting etc and removal of form for plinth beam 5.9 10.56 1 552.05 Reinforcement for plinth beam including straightering, cutting, bending placing in position and binding all completed tmt bars fe500 5.22B 74.9 1 77.65 TOTAL

Ø 2 hr Y